
Flare Docking Stations

Overall dimensions with flares docked

10-Set Docking Station




HEIGHT
9.63 in.

LENGTH
13.38 in.

WIDTH
3.63 in.

MOUNTING HARDWARE
1/4-20 × 3/4 in. Flat Head Socket Cap Screws

6-Set Docking Station



HEIGHT
9.63 in.

LENGTH
9.25 in.


WIDTH
3.63 in.

MOUNTING HARDWARE
1/4-20 × 3/4 in. Flat Head Socket Cap Screws

Sequential Flares

Overall dimensions without docking station

10-Set Sequential Flares



HEIGHT	LENGTH	WIDTH
9.4 in.	**11.9 in.**	**2.95 in.**

6-Set Sequential Flares



HEIGHT
9.4 in.


LENGTH
8 in.

WIDTH
2.95 in.

Flare Docking Stations

Overall dimensions with flares docked

10-Set Docking Station




HEIGHT
245 mm

LENGTH
340 mm

WIDTH
92 mm

MOUNTING HARDWARE
1/4-20 × 3/4 in. Flat Head Socket Cap Screws

6-Set Docking Station



HEIGHT
245 mm

LENGTH
235 mm

WIDTH
92 mm

MOUNTING HARDWARE
1/4-20 × 3/4 in. Flat Head Socket Cap Screws